Contractors



We are a small business ran by 2 Electricians.

We really appreciate your help!

Faster And Better Marker Booklets

SLIM Packs

Patented "Faster and Better" Design

10-page design offers best value


15 strips, each number 1-24 5 strips, each number 25-42


Our #1 Recommended design

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"

2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by seperate color coding ..."







Faster And Better Marker Booklets

STANDARD

Patented "Faster and Better" Design


14-page design


15 strips, each number 1-42


Our #1 Selling design

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"

2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by seperate color coding"







Faster And Better Marker Booklets

STANDARD


Patented "Faster and Better" Design


14-page design


15 strips, each number 43-84

2020 NEC 210.5 (C) (1): "... each ungrounded conductor of a branch circuit shall be identified by phase"

2020 NEC 210.5 (C) (1) (a): "... the means of identification shall be permitted to be by seperate color coding"










Classic Marker Booklets


Our Version of the Classic styled marker booklets. Our Cover features make them "Faster and Better".











Marker Booklet Cross Reference

FAB		Ideal	3M	T&B	F4P	NSI	Panduit
CLW-0-45	NUM-1-45	44-103	SPB-03	WM-0-45	WM 1-45	WMB-13	PCMB-3
CLW-46-90	NUM-46-90	44-104	SPB-14	WM-46-90	WM 46-90	WMB-15	PCMB-14
CLW-AZ-015		44-102	SPB-02	WM-A-Z	WM A-Z, 0-15	WMB-2	PCMB-2
NUM-0-9		44-101	SPB-01	WM-0-9M	WM 0-9	WMB-1	PCMB-1
LET-A-Z		44-148	SPB-12	N/A	N/A	WMB-12	N/A


Phase Label Booklets

15 Labels each Booklet, each label measures 2-7/8" x 1-5/8" Laminated with a 7-year UV rated laminate.









2020 NEC 210.5 (C) (1) (b): "Posting of Identification Means. The method utilized for conductors originating within each branch-circuit panelboard ... shall be permanently posted at each branch-circuit panelboard.... The label shall be of sufficient durability to withstand the environment involved and shall not be handwritten."

Labels



GFCI1-2

2-pack

2020 NEC 406.4 (D) (2) (C) ... their cover plates shall be marked "GFCI Protected"....



EDSD1-5

3.5" x 5", 5-pack UV Laminated



Arc Flash And Shock Hazard

Follow requirements in NFPA 70E for safe work practices and appropriate PPE. Failure to Comply can result in death or Injury.

ARC1-5

3.5" x 5", 5-pack
UV Laminated

2020 NEC 110.16 (A) "Electrical equipment ... shall be ... marked to warn ... of potential arc flash hazards ..."

2020 NEC 230.85 "For oneand two-family dwelling units, ... (1) Service disconnects marked as follows: EMERGENCY DISCONNECT, SERVICE DISCONNECT"

Panel:	Volts:	Phase:
	- 1 2	
	3 4	
	5 6	
	7 8	
	9 10	
	11 12	
	13 14	
	15 16	
	17 18	
	1920	
	21 22	
	23 24	
	25 26	
	27 28	
	2930	
	31 32	
	33 34	
	35 36	
	37 38	
	39 40	
	41 42	
nuncfabeli	retricalproducts.com	Made in USA

CD1-5


5 labels per pk Each label measures 5-3/4" x 11-3/4"

	CIRCUIT D	IRE	
Panel:	Volts:		Phase:
	1	2	
	3	4	
	5	6	
	7	8	
	9	10	
	11	12	
	13	14	
	15	16	
	17	18	
	19	20	
	21	22	
	23	24	
	25	26	
	27	28	
	29	30	
	31	32	
	33	34	
	35	36	
	37	38	
	39	40	
	41	42	

CD2-10

10 Labels per pk Each label measures 4.5" x 6.25" 2020 NEC 408.4 (A) "Every circuit ... shall be legibly identified ... in a circuit directory ... of a panelboard ..."

Label Cards



VLC-120 VLC-208 VLC-277 VLC-480

Label Size: 2.25" x .5"

120 VOLTS 120 VOLTS 120 VOLTS

208 VOLTS 208 VOLTS 208 VOLTS 208 VOLTS

277 VOLTS 277 VOLTS 277 VOLTS

480 VOLTS 480 VOLTS 480 VOLTS

VLB-120 VLB-208 VLB-277 VLB-480

Label Size: 4.5" x 1.125"

120 VOLTS
208 VOLTS
277 VOLTS
480 VOLTS

VLA-120 VLA-208 VLA-277 VLA-480

Label Size: 9" x 2"

Single Legend Marker Cards


Signify legend type in the following format:

MCA-Legend

Example: MCA-1 for #1

MCA-N for Letter N

Sequential Legend Marker Cards



Available types:

MCA-1-33

MCA-34-66

MCA-67-99


MCA-100-124

MCA-125-149

MCA-150-174

Label Sheets

Fire Alarm Device Label Sheets



	Devices- 6.1	
A6.3.4	N6.3.4	A6.3.3
N6.3.3	A6.3.2	N6.3.2
A6.3.1	N6.3.1	A6.2.4
N6.2.4	A6.2.3	N6.2.3
A6.2.2	N6.2.2	A6.2.1
N6.2.1	A6.1.4	N6.1.4
A6.1.3	N6.1.3	A6.1.2
N6.1.2	A6.1.1	N6.1.1
A5.3.4	N5.3.4	A5.3.3
N5.3.3	A5.3.2	N5.3.2
A5.3.1	N5.3.1	A5.2.4
N5.2.4	A5.2.3	N5.2.3
A5.2.2	N5.2.2	A5.2.1
N5.2.1	A5.1.4	N5.1.4
A5.1.3	N5.1.3	A5.1.2
N5.1.2	A5.1.1	N5.1.1
A4.3.6	N4.4.6	A4.3.5
N4.4.5	A4.3.4	N4.4.4
A4.3.3	N4.4.3	A4.3.2
N4.4.2	A4.3.1	N4.4.1
w	ww.fabelectricalproducts.co	om

	2-1/2"
	NAALADOAZ
1/2"	N41L1D017

N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012
N41L1D001	N41L1D002	N41L1D003
N41L1D004	N41L1D005	N41L1D006
N41L1D007	N41L1D008	N41L1D009
N41L1D010	N41L1D011	N41L1D012






				Re	ce	pt	ac	le	Lā	be	els				
WCL4A-10															
WCL4A-21, 23															
WCL4A-10															
WCL4A-21, 23															
23	23	23							rod				23	23	23


_				Re	ce	pt	ac	le	La	be	els				
WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10
WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23
WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10	WCL4A-10
WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23	WCL4A-21, 23
21, 23	A≥1, 23 A≥1														

Miscellaneous















Custom Labels









RAPID SHUTDOWN SWITCH FOR SOLAR PV SYSTEM

Misc. Cont.

The Panel Barricade

Item: TPB1-1


- Easy to use
- Quickly lockout an entire panel
- Adjustable from 13.75" to 25"
- Works on most flush or surface mounted panels
- Lock Required, Not Included.





NFPA 70E 120.1 Lockout/Tagout Program

(A) General. Each employer shall establish, document, and implement a lockout/tagout program........

Without Cover Screws With Cover Screws **Top View**







Distributors



Chandler, AZ Gilbert, AZ Gilbert South, AZ Phoenix Central, AZ Tolleson, AZ Tucson East, AZ Anaheim, CA Corona, CA Escondido, CA Kearny Mesa, CA Rancho Cucamonga, CA Riverside, CA San Bernardino, CA Westlake Village, CA Denver Central, CO Littleton, CO Stapleton, CO Clermont, FL Merritt Island, FL Oviedo, FL Palm Bay, FL Athens, GA McDonough, GA Indianapolis South, IN Livonia, MI Madison Heights, MI Waterford, MI Grandview, MO Raleigh, NC Lexington, SC West Columbia, SC Austin North, TX Boerne, TX Cedar Park, TX Fort Worth, TX Hutto, TX Pflugerville, TX San Antonio, TX (Downtown) San Antonio, TX (Tradesman) South Houston, TX Alexandria, Virginia



Anaheim, CA Cerritos, CA Compton, CA Corona, CA Escondido, CA Indio, CA Irwindale, CA Long Beach, CA Newbury Park, CA Canoga Park, CA Perris, CA Victorville, CA Rancho Cucamonga, CA Riverside, CA Redlands, CA San Dimas, CA Torrance, CA Westminster, CA



San Diego, CA

Sacramento, CA Milpitas, CA



Riverside, CA





Bloomington, CA



Banning, CA Buena Park, CA Orange, CA Riverside, CA Roseville, CA San Jose, CA Visalia, CA Oklahoma City, OK Las Cruces, NM Layton, UT Ardmore, OK Bartlesville, OK Co eyville, KS Enid, OK Lawton, OK Oklahoma City, OK Ponca City, OK Tulsa, OK



San Bernardino, CA Pomona, CA Union City, CA Salt Lake City, UT Seattle, WA



Fort Worth, TX Austin, Tx



San Bernardino, CA



Oklahoma City, OK



Corona, CA



Clarksville, TN Nashville, TN Birmingham, AL



Santa Ana, CA



Santa Ana, CA



Santa Clara, CA



Whittier, CA



Seattle, WA



Nashville, TN

Don't see yours? Help us out and place an order with them. Code references throughout this catalog are merely references, refer to the authority having jurisdiction before making purchases. No warranty of merchantability, fitness for a particular purpose or consequential damages.

2020 NEC 90.4 Enforcement. "... The authority having jurisdiction for enforcement of the Code has the responsibility for making interpretations of the rules, for deciding on the approval of equipment and materials"

Contact Information

FAB Electrical Products
Ryan Cleghorn (909) 238-8107
fabelectricalproducts@gmail.com
www.fabelectricalproducts.com



